


ARCHITECTURAL LEED CREDITS  
(PARTIAL LIST)

REFERENCE	DESCRIPTION
SS-7.2	Use ENERGY STAR Roof-compliant, high-reflectance AND high emissivity roofing (initial reflectance of at least 0.65 and 3-year aged reflectance of at least 0.5 when tested in accordance with ASTM E903 and emissivity of at least 0.9 when tested) for a minimum of 75% of the roof area. - Use ENERGY STAR roof.

REVISED ROOF SLOPES



**morris**  
architects

3355 W. Alabama, Suite 200 • Houston, Texas 77098  
713.622.1180 phone • 713.622.7021 fax  
www.morrisarchitects.com • fhp.morrisarchitects.com

0 1 2 5 10 15 25 FEET  
SCALE: 1/8"=1'-0"

REVISION	DATE	ADDENDUM NO. 1	DESCRIPTION
DR.	ENG		NATIONAL AERONAUTICS & SPACE ADMINISTRATION
CH	APPR		LYNDON B. JOHNSON SPACE CENTER HOUSTON, TEXAS
			BUILDING 27
			ASTRONAUT QUARANTINE FACILITY
			ROOF PLAN
REV			
DISCP			
PE			
APPR			
		PROJECT NO. 02104	SHEET NO. A-27-02104_4_DF_24
		PROJECT ID 02104	DWG NO. A-27-130
		CODE IDENT NO. 2116	SIZE F